

# DURAVAC

## Wet & Dry 37

Vacuum type	Wet & dry
Hopper capacity	37 l
Number of motors	1
Motor power	1400 W
Motor stages	double
Voltage	220 - 240 V
Frequency	50/60 Hz
Cooling - Vacuum type	by pass
Maximum power	1400 W
Nominal power	2400 W
Water lift	215 mm H <sub>2</sub> O
Air flow	60 m <sup>3</sup> /h
Sound pressure	37 dB(A)
Tank capacity	12,6/13,7 l
Weight	12,6/13,7 Kg
Dimensions (L x W x H)	410 x 410 x 770 mm
Packaging (L x W x H)	415 x 415 x 600 mm



# DURAVAC

**Wet & Dry 76 P (PPL & Inox)**

*Vacuum type*

*Hopper capacity*

*Number of motors*

*Motor power*

*Motor stages*

*Voltage*

*Frequency*

*Cooling - Vacuum type*

*Maximum power*

*Nominal power*

*Water lift*

*Air flow*

*Sound pressure*

*Tank capacity*

*Weight*

*Dimensions (L x W x H)*

*Packaging (L x W x H)*

**Wet & dry**

**76 l**

**2**

**2600 W**

**double**

**220 - 240 V**

**50/60 Hz**

**by pass**

**2600 W**

**2400 W**

**430 mm H<sub>2</sub>O**

**67 m<sup>3</sup>/h**

**77/76 dB(A)**

**21.2/23 l**

**21.2/23 Kg**

**580 x 580 x 960 mm**

**600 x 600 x 1000 mm**



# DURASTEAM

22

<i>Vacuum type</i>	<i>Steam - wet &amp; dry</i>
<i>Working pressure</i>	<i>4,5 bar</i>
<i>Temperature out</i>	<i>140 °C</i>
<i>Motor power</i>	<i>3050 W</i>
<i>Voltage</i>	<i>220 - 240 V</i>
<i>Frequency</i>	<i>50/60 Hz</i>
<i>Boiler capacity</i>	<i>2,2 l</i>
<i>Boiler power</i>	<i>900 + 900 W</i>
<i>Max vacuum power</i>	<i>1250 W</i>
<i>Stainless tank capacity</i>	<i>22 l</i>
<i>Water tank capacity</i>	<i>8 l</i>
<i>Weight</i>	<i>22 Kg</i>
<i>Dimensions (L x W x H)</i>	<i>410 x 410 x 810 mm</i>
<i>Packaging (L x W x H)</i>	<i>415 x 415 x 810 mm</i>

